



Page 1/10

Reviewed on: 15.02.2024\*

Version: 05\*

ALUMINIUM-Alloys (billets and profiles) according to EN AW-6005A / EN AW-6060/ EN AW-6063 / EN AW-6082

# SECTION 1: Designation of the substance or the mixture and the company

#### 1.1 Product identifier:

Trade name: ALUMINIUM-ALLOYS (billets and profiles)

EN AW-6005A / EN AW-6060/ EN AW-6063 / EN AW-6082

# 1.2 Relevant identified uses of the substance or the mixture and uses advised against Verwendung des Stoffes/Gemisches:

Use of the substance/mixture:

Billets: Semi-finished products for the production of profiles

Profiles: Use according to the type of profile in the industrial sector

Uses advised against: -

### 1.3 Details on the supplier providing the safety data sheet:

Thöni Industriebetriebe GmbH

Obermarktstr. 48 A-6410 Telfs

Tel: +43 (0) 5262 6903-0 Fax: +43 (0) 5262 6903-210 E-Mail: thoeni@thoeni.com

### Respondent area:

Quality- and environmental management department

**1.4 Emegency number:** Tel. +43 (0) 5262 6903-0

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification according to regulation (EG) No. 1272/2008 The product is not classified according to the CLP regulation.

# 2.2 Labelling elements

Labelling according to regulation (EG) No. 1272/2008: not applicable

Hazard pictograms: not applicable


Signal word: not applicable Hazard warnings: not applicable Safety instructions: not applicable

#### 2.3 Further hazards

none

Results of the PBT and vPvB assessment

**PBT:** not applicable **vPvB**: not applicable





Page 2/10

Reviewed on: 15.02.2024\*

Version: 05\*

ALUMINIUM-Alloys (billets and profiles) according to EN AW-6005A / EN AW-6060/ EN AW-6063 / EN AW-6082

# **SECTION 3: Composition / information on ingredients**

#### 3.1 Substances

not applicable

#### 3.2 Mixtures

**Description:** Mixture of aluminium and below mentioned additions (alloy components)

CAS	EINECS	Bestandteil	Konzentration Gew%
7429-90-5	231-072-3	Aluminium, metal	>/= 97
7440-21-3	231-130-8	Silicium	<1,5
7439-95-4	231-104-6	Magnesium	<1,3
7439-96-5	231-105-1	Manganese	<1,1
7439-89-6	231-096-4	Iron	<0,6
7440-50-8	231-159-6	Copper	<0,5
7440-66-6	231-175-3	Zinc	<0,3
7440-47-3	231-157-5	Chromium	<0,3
7440-32-6	231-142-3	Titanium	<0,2

#### Additional information:

Non-flammable. Insoluble in water.

#### **SECTION 4: First aid measures**

#### 4.1 Description of the first-aid measures

#### **General information:**

No special measures required.

#### After inhalation:

Due to its compact shape (billet, profile) inhalation of the product is not possible. If, however, dust etc. is produced and inhaled during processing of the product and causes discomfort, get medical attention.

#### After skin contact:

In general, the product does not irritate the skin.

Wash off with warm water and soap.

### After eye contact:

Due to its compact shape (billet, profile) eye contact with the product is not possible when used as intended. If, however, dust etc. is produced during processing of the product and gets into the unprotected eye, the eye should be rinsed for 10 minutes under running water with the lids wide open, while protecting the uninjured eye, and medical treatment should be provided.

### After ingestion:

Due to its compact shape (billets, profile) ingestion of the product is not possible. If, however, dust etc. is produced and ingested during processing of the product, rinse out mouth and spit out the liquid.

Do not induce vomiting. Provide medical treatment.





Page 3/10

Reviewed on: 15.02.2024\*

Version: 05\*

ALUMINIUM-Alloys (billets and profiles) according to EN AW-6005A / EN AW-6060/ EN AW-6063 / EN AW-6082

# 4.2 Most important acute and delayed symptoms and effects

No further relevant information available

#### 4.3 Information on immediate medical assistance or special treatment

Acute poisoning is unknown, regardless of its route of exposure

# \*SECTION 5: Firefighting measures

#### The compact shape (billet, profile) is not flammable.

In cases where powder, dust and fine chips etc. are produced during processing. and catch fire, points 5.1 to 5.3 of this safety data sheet apply to firefighting.

### 5.1 Extinguishing agents

### Suitable extinguishing agents:

Dry sand

Extinguishing powder for fire class D (metal fire powder)

#### Unsuitable extinguishing agents for safety reasons:

Water

Dry extinguishing powder (extinguishing powder ACB + BC)

Foam

Carbon dioxide

### 5.2 Special hazards arising from the substance or the mixture

No further information available

# 5.3 Information on firefighting

### **Special protective equipment:**

Wear self-contained breathing apparatus.

#### Further Information\*:

Fire residues and contaminated extinguishing water must be disposed of in accordance with official regulations.





Page 4/10

Reviewed on: 15.02.2024\*

Version: 05\*

ALUMINIUM-Alloys (billets and profiles) according to EN AW-6005A / EN AW-6060/ EN AW-6063 / EN AW-6082

#### \*SECTION 6: Accidental release measures

# 6.1 Personal precautions, protective equipment and emergency procedures Not required.

#### 6.2 Environmental measures

Not required.

- 6.3 Methods and material for containment and cleaning up Not required.
- 6.4 Reference to other sections

For safe handling see section 7\*.

For information on personal protective equipment see section 8.

For information on disposal see section 13.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

No special measures required.

#### Information on fire and explosion protection:

No special measures required. The compact shape is not flammable.

# 7.2 Conditions for a safe storage taking into consideration incompatibilities Storage:

#### Requirements for storage rooms and containers:

No special requirements.

**Information on combined storage:** Do not store together with acids.

Keep away from oxidizing agents.

Further information on storage conditions: none

**Storage class**: 10 - 13 (Source: GESTIS substance database)

Classification according to Industrial Safety Regulation (BetrSichV):


not applicable

VbF class: not applicable

### 7.3 Specific end uses

Billets: Semi-finished products for extrusion plants

No further relevant information available.





Page 5/10

Reviewed on: 15.02.2024\*

Version: 05\*

ALUMINIUM-Alloys (billets and profiles) according to EN AW-6005A / EN AW-6060/ EN AW-6063 / EN AW-6082

### **SECTION 8:** Exposure controls / personal protection

Additional information on the design of technical systems: No further information, see Section 7.

#### 8.1 Parameters to be monitored

None. Applies to dust-producing processing, not to its compact shape.

#### 8.2 Exposure limitation and monitoring

Personal protective equipment:

General protective and hygienic measures: none

### Eye protection / Face protection:

Tightly fitting safety goggles during processing of billets and profiles leading to dust, chips etc.

Skin protection: -

**Hand protection:** Mechanical protective glove – sharp burr on the cutting edges

possible.

Body protection: Wear safety shoes due to the mechanical hazards arising from the

mass.

Respiratory protection: Not required due to compact shape. Wear dust masks in case of

processing methods with dust formation.

Thermal hazards: none

#### **SECTION 9: Physical and chemical properties**

# 9.1 Information on the basic physical and chemical properties

**General information** 

Appearance:


Physical state: hard and compact with different shapes

Colour:silver-greyOdour:odourless

Odour threshold: not determinable

Change of state

Melting point:approx. 660°CBoiling point/range:approx. 2400°C





Page 6/10

Reviewed on: 15.02.2024\*

Version: 05\*

ALUMINIUM-Alloys (billets and profiles) according to EN AW-6005A / EN AW-6060/ EN AW-6063 / EN AW-6082

Flashpoint: not applicable Flammability (solid, gas): not determined Ignition temperature: not determined Decomposition temperature: not determined

**Explosion limits:** 

Lower: - Upper: -

Density at 20°C:approx. 2.7 g/cm³Relative density:not determinedRel. vapour density:not applicablepH value:not applicable

**Evaporation rate:** not applicable

Solubility in/miscibility

with water: insoluble

**Distribution coefficient:** 

(n octanol/water) not applicable

Viscosity:

**dynamic:** not applicable **kinematic:** not applicable

#### 9.2 Further information

No further relevant information available.

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

#### 10.2 Chemical stability

Stable under indicated storage conditions.

# Thermal decomposition / Conditions to avoid:

No decomposition when used as intended.

#### 10.3 Possibility of hazardous reactions

Reaction with strong oxidizing agents, strong acids and bases.





Page 7/10

Reviewed on: 15.02.2024\*

Version: 05\*

ALUMINIUM-Alloys (billets and profiles) according to EN AW-6005A / EN AW-6060/ EN AW-6063 / EN AW-6082

#### 10.4 Conditions to avoid

No further relevant information known

#### 10.5 Incompatible materials

Oxidizing agents, strong acids and bases

#### 10.6 Hazardous decomposition products

Metallic oxide smoke

# **SECTION 11: Toxicological information**

# 11.1 Data on the hazard classes according to the regulation (EG) No. 1272/2008

### **Acute toxicity**

No effects known

**Primary irritant effect:** 

Skin corrosivity and irritant effectno irritant effectSerious eye damage/irritationno irritant effectSensitization of the respiratory tract/skinno effect known

Nucleus mutagenicitynoneCarcinogenicitynoneReproductive toxicitynone

Specific target organ toxicity for a

single exposure none

Specific target organ toxicity with

repeated exposure none Hazard of aspiration none

# Additional toxicological information:

The product is not subject to labelling due to the calculation method of the general classification guidelines for preparations of the EG in the latest version. According to our experience and the information available, the product does not have any harmful effects when handled and used properly.

#### 11.2 Information on other hazards

none known





Page 8/10

Reviewed on: 15.02.2024\*

Version: 05\*

ALUMINIUM-Alloys (billets and profiles) according to EN AW-6005A / EN AW-6060/ EN AW-6063 / EN AW-6082

# **SECTION 12: Ecological information**

### 12.1 Toxicity

Aquatic toxicity: No further relevant information available.

- **12.2 Persistence and decomposability:** No further relevant information available.
- 12.3 Bioaccumulative potential: No further relevant information available.
- **12.4 Mobility in the soil:** No further relevant information available.

Further ecological information:

**General information:** 

The product is not water contaminating.

#### 12.5 Results of the PBT and vPvP assessment

**PBT:** not applicable **vPvP:** not applicable

12.6 Endocrine disrupting properties: not applicable

#### 12.7 Other harmful effects

No further relevant information available

#### **Section 13: Disposal considerations**

#### 13.1 Waste treatment methods

**Recommendation:** Residues of billets and profiles due to further processing are precious raw materials and can be returned to the remelting plant of the company Thöni for recycling.

In case of disposal the respective legal and official regulations must be complied with.

No hazardous waste according to the waste list regulation (AVV).

**Uncleaned packaging:** 

Recommendations: not applicable





Page 9/10

Reviewed on: 15.02.2024\*

Version: 05\*

ALUMINIUM-Alloys (billets and profiles) according to EN AW-6005A / EN AW-6060/ EN AW-6063 / EN AW-6082

Section 14: Transport information			
14.1	UN-Number or ID-Number	not applicable	
14.2	Proper UN shipping name	not applicable	
14.3	Transport hazard classes	not applicable	
14.4	Packaging group	not applicable	
14.5	Environmental risks Marine pollutant	No	
14.6	Special precautions for user	not applicable	
14.7	Bulk transport by sea according to IMO instruments	not applicable	

# **SECTION 15: Regulatory information**

# 15.1 Regulations on safety, health and environmental protection/specific regulations for the substance or the mixture

Labelling according to regulation (EG) No. 1272/2008 not applicable

Hazard pictograms not applicable
Signal word not applicable
Hazard warnings not applicable
Classification according to VbF: not applicable

Classification according to

Industrial Safety Regulation (BetrSichV):

Water hazard class:

not applicable


not water contaminating

Substance of very high concern (SVHC)

according to REACH-VO (EG) No. 1907/2006: not applicable

#### 15.2 Safety assessment of the substance:

A safety assessment of the substance has not been carried out.





Page 10/10

Reviewed on: 15.02.2024\*

Version: 05\*

ALUMINIUM-Alloys (billets and profiles) according to EN AW-6005A / EN AW-6060/ EN AW-6063 / EN AW-6082

#### **SECTION 16: Other information**

The information is based on our current state of knowledge, however, does not represent a confirmation of product properties and does not justify a contractual legal relationship.

#### Relevant sentences:

Not applicable

#### Data sheet exhibiting area:

Quality and environmental management department

Contact: Head of quality and environmental management

Date of the previous version\*: 14.09.2020 Version number of the previous version\*: 04

#### Abbreviations and acronyms:

CAS: Chemical Abstracts Service (division of the American Chemical Society)

CLP: Classification, labelling and packaging

EINECS: European Inventory of Existing Commercial Chemical Substances

GESTIS (IFA): Substance database of the Institute for Occupational Safety and Health of the German Social Accident Insurance

GHS: Globally Harmonized System of Classification, Labelling and Packaging of Chemicals REACH-VO: Regulation on Registration, Evaluation, Authorisation and Restriction of Chemicals

SVHC: Substances of Very High Concern VbF: Regulation on flammable liquids, Austria vPvB: very Persistent and very Bioaccumulative

\*Data changed compared to the previous version (changed section)